## Amendments to the Claims:

This listing of claims will replace all prior vorsions, and listings, of claims in the application:

## Listing of Claims:

Claim 1 (currently amended). A method for use with a geographic positioning receiver and a digital image recording device for matching geographic information recorded by the geographic positioning receiver with images recorded by the digital image recording device, said method comprising the steps of:

recording geographic information during the time that an image is recorded;

determining a first time that at least one digital image was recorded by the digital image recording device;

determining a second time that at least one geographic information was recorded by the geographic positioning receiver;

determining the geographic information recorded by the geographic positioning receiver at the first time by matching the second time with the first time; and

automatically matching the geographic information recorded at the first second time with the image recorded at the first time.

Claim 2 (original). The method of claim 1, wherein said digital image recording device automatically records a first relative time when said digital image recording device records an image, wherein said step of determining a first time, further includes a step of determining a time stamp for an image recorded by the digital image recording device.

Application Serial No. 09/900,321 Amendment and Response dated October 14, 2004 Reply to Office Action of July 23, 2004

Claim 3 (canceled).

Claim 4 (original). The method of claim 1, further comprising the step of:

determining a time offset between the first time that at least one digital image was recorded and the time geographic information was recorded.

Claim 5 (original). The method of claim 4, wherein the geographic positioning receiver includes a visual display indicating the relative time being tracked by the geographic positioning receiver;

wherein said step of determining a time offset, further includes a step of using the digital image recording device to record an image of the visual display of the geographic positioning receiver.

- Claim 6 (currently amended). The method of claim 4, wherein said step of determining an <u>a</u> time offset, further includes a step of using an image of a UTC display recorded with the image recording device.
- Claim 7 (original). The method of claim 4, wherein said step of determining a time offset, further includes a step of using at least one image recorded using the digital image recording device.
- Claim 8 (original). The method of claim 4, wherein said step of determining a time offset, further includes a step of interpolating between GPS epochs in the GPS log file.
- Claim 9 (currently amended). The method of claim 1 further comprising the steps step of:

synchronizing the image recording device's clock data with the GPS receiver's clock data.

- Claim 10 (currently amended). A method for matching a digital representation of an image with information including a geographic location of said image, the method comprising the steps of:
  - (a) recording one or more images of a desired field of view at a first time using a digital image recorder having a clock;
  - (b) recording information including a geographic location of said one or more images at a second relative time using a geographic positioning receiver having a clock;
  - (c) creating an association of each said one or more images at a third relative time with a respective said information including a geographic location of said one or more images by matching the second relative time with the first time; and
  - (d) outputting a result representing a closest pairing of each said one or more images with a respective said information including a geographic location of said one or more images.
- Claim 11 (original). The method according to claim 10, further including the step of matching geographic location information with each digital representation of an image in a wireless operation.
- Claim 12 (original). The method according to claim 10, wherein said information further includes longitude and latitude information corresponding to a current geographic location of a positioning device.
- Claim 13 (original). The method according to claim 10, wherein said information further includes time information corresponding to a current geographic location of a positioning device.

- Claim 14 (original). The method according to claim 10, wherein the step of creating an association, further includes a step of associating each said one or more images with at least one of a closest recording time, a closest recorded time before said one or more images were taken, and a closest time after said one or more images were taken.
- Claim 15 (original). The method according to claim 10, wherein the step of creating an association, further includes a step of at least one of calibrating and calculating a time offset of an image recording device used to record said one or more images.
- Claim 16 (currently amended). The method according to claim 15, wherein said step of at least one of of calibrating and calculating, further includes a step of setting the image recording device's clock to match a world standard time.
- Claim 17 (currently amended). The method according to claim 15, wherein said step of at least one of of calibrating and calculating, further includes a step of determining an offset of the image recording device's clock time.
- Claim 18 (currently amended). The method according to claim 15, wherein said step of at least one of of calibrating and calculating, further includes a step of determining an offset of the time each image was created with respect to a world standard time.
- Claim 19 (currently amended). The method according to claim 15, wherein said step of at least one of of calibrating and calculating, further includes a step of directly measuring a difference between a free-running clock of an image recording device and a world standard time.
- Claim 20 (currently amended). The method according to claim 15, wherein said step of at least one of of calibrating and calculating, further includes a step of recording, over time, multiple measurements of an image recording device's clock time offset.

- Claim 21 (currently amended). The method according to claim 15, wherein said step of at least one of of calibrating and calculating, further includes a step of creating a calibration image.
- Claim 22 (currently amended). The method according to claim 15, wherein said step of at least one of of calibrating and calculating, further includes a step of performing optical character recognition.
- Claim 23 (original). The method according to claim 10, further including a step of pairing an image with geographic location information substantially corresponding to said image despite an error in geographic position recorded when said image was recorded.
- Claim 24 (original). The method according to claim 10, further including a step of pairing an image with geographic location information substantially corresponding to said image despite an error in time recorded when said image was recorded.
- Claim 25 (original). The method according to claim 10, further including a step of position tagging each image with a location indicator closest in time to when said image was recorded.
- Claim 26 (original). The method according to claim 25, wherein said location indicator is at least one of maintained in a separate file associated with a corresponding image file and configured for insertion into each image file.
- Claim 27 (original). The method according to claim 10, further including a step of time matching each image to geographic location information recorded by a positioning device.

Claim 28 (original). The method according to claim 10, further including a step of interpolating between one or more location indicators in a location indicator file in order to obtain a best location information for an image taken at a time not represented in said location indicator file.

Claim 29 (original). In a method for matching a recorded image with geographic data substantially corresponding to a geographic location where said image was recorded, one or more electronic devices comprising a data processor performing the steps of:

- (a) recording one or more images;
- (b) recording geographic data substantially corresponding to each image;
- (c) position tagging each image with a location indicator, of said geographic data, substantially closest in time to when each image was recorded; and
- (d) matching a time of recording of each image with said location indicator recorded substantially closest in time to when each image was recorded, in order to determine a geographic location of an electronic positioning device at a time or closest in time to when each image was recorded; and
  - (e) outputting a matched result.